525 Rec'd T/PTO 08 DEC 2000 PCT

14

I hereby certify that this concespondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. ecember 5.

Attorney Docket No.: 14538A-004010US

STATES PATENT AND TRADEMARK OFFICE

In re application of:

JONATHAN A. COOPER, et al.

Application No.: 09/486,293

Filed: February 22, 2000

For: ISOLATION AND EXPRESSION

> OF A DISABLED PROTEIN GENE MdaB1 AND METHODS

Examiner:

Not Assigned

Art Unit:

Not Assigned

INFORMATION DISCLOSURE

STATEMENT

Assistant Commissioner for Patents Washington, D.C. 20231

Dear Sir:

Applicants direct the Examiner's attention to the references below, also listed on the accompanying Form PTO-1449. A copy of each is also enclosed.

The following U.S. Patents are set forth below by issue date.

U.S. Patent No. 4,816,397 issued on March 28, 1989 to Michael A. AA.

Boss, et al.

The following international patent publications are set forth by approximate publication date.

AB. International Publication No. WO 97/10252 issued on March 20, 1997 to Fred Hutchinson Cancer Research Center.

The following articles are set forth by the indicated year of publication date.

- AC. Caviness et al., "Retrohippocampal, Hippocampal and Related Structures of the Forebrain in the Reeler Mutant Mouse," J. Comp. Neur. 147: 235-254 (1973).
- AD. Goffinet, "An Early Developmental Defect in the Cerebral Cortex of the Reeler Mouse," <u>Anat. Embryol.</u> 157: 205-216 (1979).
- AE. Stanfield and Cowan, "The Morphology of the Hippocampus and Dentate Gyrus in Normal and Reeler Mice," <u>J. Comp. Neur.</u> 185: 393-422 (1979).
- AF. Caviness, "Neocortical Histogenesis in Normal and Reeler Mice: A Developmental Study Based Upon [³H] Thymidine Autoradiography," <u>Brain Res.</u> 4: 293-302 (1982).
- AG. Goffinet, "Events Governing Organization of Postmigratory Neurons: Studies on Brain Development in Normal and Reeler Mice," <u>Brain Res.</u> 7: 261-296 (1984).
- AH. Goffinet et al., "Architectonic and Hodological Organization of the Cerebellum in Reeler Mutant Mice," <u>Brain Res.</u> 16: 263-276 (1984).
- AI. Simon et al., "The Nucleotide Sequence and the Tissue-Specific Expression of Drosophila c-src," Cell 42: 831-840 (1985).
- AJ. Cooper et al., "Tyr⁵²⁷ is Phosphorylated in pp60^{C-src}: Implications for Regulation," Science 231: 1431-1434 (1986).
- AK. Henkemeyer et al., "The Drosophila Abelson Proto-Oncogene Homolog: Identification of Mutant Alleles That Have Pleiotropic Effects Late in Development," Cell 51: 821-828 (1987).
- AL. Cooper and MacAuley, "Potential Positive and Negative Autoregulation of p60^{c-src} by Intermolecular and Autophosphorylation," <u>Proc. Natl. Acad. Sci. USA</u> 85: 4232-4236 (1988).
- AM. MacAuley and Cooper, "The Carboxy-Terminal Sequence of p56^{lck} Can Regulate p60^{c-src}," Mol. Cell. Biol. 8: 3560-3564 (1988).
- AN. Anderson, "The Neural Crest Cell Lineage Problem: Neuropoiesis?," Neuron 3: 1-12 (1989).
- AO. Druker et al., "Oncogenes, Growth Factors, and Signal Transduction," New Eng. J. Med. 321: 1383-1391 (1989).

- AP. Gertler et al., "Drosophila *abl* Tyrosine Kinase in Embryonic CNS Axons: A Role in Axogenesis is Revealed Through Dosage-Sensitive Interactions with *disabled*," Cell 58: 103-113 (1989).
- AQ. Elkins et al., "Genetic Analysis of a Drosophila Neural Cell Adhesion Molecule: Interaction of Fasciclin I and Abelson Tyrosine Kinase Mutations," <u>Cell</u> 60: 565-575 (1990).
- AR. Gertler et al., "Genetic Suppression of Mutations in the *Drosophila abl* Proto-Oncogene Homolog," <u>Science</u> 248: 857-860 (1990).
- AS. Henkemeyer et al., "A Novel Tyrosine Kinase-Independent Function of Drosophila *abl* Correlates with Proper Subcellular Localization," <u>Cell</u> 63: 949-960 (1990).
- AT. Maness et al., "Localization of the Normal Cellular <u>Src</u> Protein to the Growth Cone of Differentiating Neurons in Brain and Retina," <u>Adv. Exp. Med. Biol.</u> 265: 117-125 (1990).
- AU. Bixby and Harris, "Molecular Mechanisms of Axon Growth and Guidance," Annu. Rev. Cell Biol. 7: 117-159 (1991).
- AV. Kremer et al., "Signal Transduction by Nerve Growth Factor and Fibroblast Growth Factor in PC12 Cells Requires a Sequence of Src and Ras Actions," <u>J. Cell Biol.</u> 115: 809-819 (1991).
- AW. Lannoo et al., "Zebrin II Immunoreactivity in the Rat and in the Weakly Electric Teleost *Eigenmannia* (Gymnotiformes) Reveals Three Modes of Purkinje Cell Development," J. Comp. Neurol. 310: 215-233 (1991).
- AX. Schwartzberg et al., "Mice Homozygous for the *abl*^{m1} Mutation Show Poor Viability and Depletion of Selected B and T Cell Populations," <u>Cell</u> 65: 1165-1175 (1991).
- AY. Tybulewicz, et al., "Neonatal Lethality and Lymphopenia in Mice with a Homozygous Disruption of the c-abl Proto-Oncogence," Cell: 1153-1163 (1991).
- AZ. Vaessin et al., "prospero is Expressed in Neuronal Precursors and Encodes a Nuclear Protein That is Involved in the Control of Axonal Outgrowth in Drosophila," Cell 67: 941-953 (1991).

- BA. Bennett and Hoffman, "Increased Levels of the *Drosophila* Abelson Tyrosine Kinase in Nerves and Muscles: Subcellular Localization and Mutant Phenotypes Imply a Role in Cell-cell Interactions," <u>Development</u> 116: 953-966 (1992).
- BB. Maness, "Nonreceptor Protein Tyrosine Kinases Associated with Neuronal Development," <u>Dev. Neurosci</u> 14: 257-270 (1992).
- BC. Mayer et al., "Point Mutations in the *abl* SH2 Domain Coordinately Impair Phosphotyrosine Binding In Vitro and Transforming Activity in Vivo," Mol. Cell Biol. 12: 609-618 (1992).
- BD. McConnell, "The Control of Neuronal Identity in the Developing of Cerebral Cortex," <u>Curr. Opin. Neurobiol.</u> 2:23-27 (1992).
- BE. Seidel-Dugan et al., "Effects of SH2 and SH3 Deletions on the Functional Activities of Wild-Type and Transforming Variants of c-Src," Mol. Cell. Biol. 12: 1835-1845 (1992).
- BF. Stein et al., "pp59^{fyn} Mutant Mice Display Differential Signaling in Thymocytes and Peripheral T Cells," Cell 70: 741-750 (1992).
- BG. Waksman et al., "Crystal Structure of the Phosphotyrosine Recognition Domain SH2 of v-src Complexed with Tyrosine-phosphorylated Peptides," Nature 358: 646-653 (1992).
- BH. Gertler et al., "Dosage-sensitive Modifiers of *Drosophila abl* Tyrosine Kinase Function: *prospero*, a Regulator of Axonal Outgrowth, and *disabled*, a Novel Tyrosine Kinase Substrate," Genes Dev. 7: 441-453 (1993).
- BI. Hatten, "The Role of Migration in Central Nervous System Neuronal Development," Curr. Opin. Neurobiol. 3: 38-44 (1993).
- BJ. Kussick et al., "Ras1-dependent Signaling by Ectopically-expressed *Drosophila src* Gene Product in the Embryo and Developing Eye," <u>Oncogene</u>, 8: 2791-2803 (1993).
- BK. Mori, et al., "Identification of Two Juxtamembrane Autophosphorylation Sites in the PDGF β-receptor; Involvement in the Interaction with Src Family Tyrosine Kinases," EMBO J., 6: 2257-2264 (1993).

- BL. Okada et al., "Deletion of the SH3 Domain of Src Interferes with Regulation by the Phosphorylated Carboxyl-terminal Tyrosine," <u>J. Biol. Chem.</u> 268: 18070-18075 (1993).
- BM. Songyang et al., "SH2 Domains Recognize Specific Phosphopeptide Sequences," Cell 72: 767-778 (1993).
- BN. Vojtek et al., "Mammalian Ras Interacts Directly with the Serine/Threonine Kinase Raf," Cell 74: 205-214 (1993).
- BO. Vojtek and Cooper, "Identification and Characterizatoin of a cDNA Encoding Mouse CAP: a Homolog of the Yeast Adenylyl Cyclase Associated Protein," <u>J. Cell Sci.</u> 105: 777-785 (1993).
- BP. Wu and Goldberg, "Regulated Tyrosine Phosphorylation at the Tips of Growth Cone Filopodia," J. Cell Biol. 123: 653-664 (1993).
- BQ. Beggs et al., "NCAM-dependent Neurite Outgrowth Is Inhibited in Neurons from *Fyn*-minus Mice," J. Cell. Biol. 127: 825-833 (1994).
- BR. Cobb et al., "Stable Association of pp60^{src} and pp59^{fyn} with the Focal Adhesion-Associated Protein Tyrosine Kinase, pp125^{FAK}," Mol. Cell. Biol. 14: 147-155 (1994).
- BS. Feng et al., "Two Binding Orientations for Peptides to the Src SH3 Domain: Development of a General Model for SH3-Ligand Interactions," Science 266: 1241-1247 (1994).
- BT. Fumagalli et al., "A Target for Src in Mitosis," Nature 368: 871-874 (1994).
- BU. Howell and Cooper, "Csk Suppression of Src Involves Movement of Csk to Sites of Src Activity," Mol. Cell. Biol. 14: 5402-5411 (1994).
- BV. Ignelzi et al., "Impaired Neurite Outgrowth of *src*-Minus Cerebellar Neurons on the Cell Adhesion Molecule L1," <u>Neuron</u> 12: 873-884 (1994).
- BW. Kavanaugh and Williams, "An Alternative to SH2 Domains for Binding Tyrosine-Phosphorylated Proteins," Science 266: 1862-1865 (1994).
- BX. Mok et al., "Molecular Cloning of Differentially Expressed Genes in Human Epithelial Ovarian Cancer," Gyn Oncol. 52: 247-252 (1994).

- BY. Sabe et al., "Analysis of the Binding of the Src Homology 2 Domain of Csk to Tyrosine-phosphorylated Proteins in the Suppression and Mitotic Activation of c-Src," Proc. Natl. Acad. Sci. USA 91: 3984-3988 (1994).
- BZ. Schaller et al., "Autophosphorylation of the Focal Adhesion Kinase, pp125^{FAK}, Directs SH2-Dependent Binding of pp60^{src}," Mol. Cell. Biol. 14: 1680-1688 (1994).
- CA. Snider, "Functions of the Neurotrophins during Nervous System Development: What the Knockouts Are Teaching Us," <u>Cell</u> 77: 627-638 (1994).
- CB. Taylor and Shalloway, "An RNA-binding Protein Associated with Src Through its SH2 and SH3 Domains in Mitosis," Nature 368: 867-871 (1994).
- CC. Umemori et al., "Initial Events of Myelination Involve Fyn Tyrosine Kinase Signalling," Nature 367: 572-576 (1994).
- CD. Wilson et al., "2.2 Mb of Continguous Nucleotide Sequence From Choromosome III of *C. elegans*," Nature 368: 32-38 (1994).
- CE. Yu et al., "Structural Basis for the Binding of Proline-Rich Peptides to SH3 Domains," Cell 76: 933-945 (1994).
- CF. Alonso et al., "Sequence Requirements for Binding of Src Family Tyrosine Kinases to Activated Growth Factor Receptors," <u>J. Biol. Chem.</u> 270: 9840-9848 (1995).
- CG. Batzer et al, "The Phosphotyrosine Interaction Domain of Shc Binds an LXNPXY Motif on the Epidermal Growth Factor Receptor," Mol. Cell. Biol. 15: 4403-4409 (1995).
- CH. Bork and Margolis, "A Phosphotyrosine Interaction Domain, " Cell 80: 694-694 (1995).
- CI. Callahan et al., "Control of Neuronal Pathway Selection by a *Drosophila* Receptor Protein-tyrosine Kinase Family Member," Nature 376: 171-174 (1995).
- CJ. D'Arcangelo et al., "A Protein Related to Extracellular Matrix Proteins Deleted in the Mouse Mutant *reeler*," Nature 374: 719-723 (1995).
- CK. Duyster et al., "Src Homology 2 Domain as a Specificity Determinant in the c-Abl-mediated Tyrosine Phosphorylation of the RNA Polymerase II Carboxyl-terminal Repeated Domain," <u>Proc. Natl. Acad. Sci. USA</u> 92: 1555-1559 (1995).

- CL. Goldberg and Wu, "Inhibition of Formation of Filopodia after Axotomy by Inhibitors of Protein Tyrosine Kinases," <u>J. Neurobiol.</u> 27: 553-560 (1995).
- CM. Hill et al., "Genetic Interactions Between the Drosophila Abelson (Abl) Tyrosine Kinase and Failed Axon Connections (Fax), a Novel Protein in Axon Bundles,"

 Genetics 141: 595-606 (1995).
- CN. Hirotsune et al., "The Reeler Gene Encodes a Protein with an EGF-like Motif Expressed by Pioneer Neurons," Nat. Genet. 10: 77-83 (1995).
- CO. Hoffarth et al., "The Mouse Mutation *Reeler* Causes Increased Adhesion within a Subpopulation of Early Postmitotic Cortical Neurons," <u>J. Neurosci.</u> 15: 4838-4850 (1995).
- CP. Hollenberg et al., "Identification of a New Family of Tissue-Specific Basic Helix-Loop-Helix Proteins with a Two-Hybrid System," Mol. Cell. Biol. 15: 3813-3822 (1995).
- CQ. Kavanaugh et al., "PTB Domain Binding to Signaling Proteins Through a Sequence Motif Containing Phosphotyrosine," <u>Science</u> 268: 1177-1179 (1995).
- CR. Lai et al., "A *Drosophila shc* Gene Product is Implicated in Signaling by the DER Receptor Tyrosine Kinase," Mol. Cell. Biol. 15: 4810-4818 (1995).
- CS. Mayer and Eck, "Minding your p's and q's: SH3 Domains Mediate Many Important Protein-protein Interactions. The Molecular Basis of the Binding of These Domains to Their Ligands has been Revealed, Making it Possible to Identify SH3-binding Sites in New Proteins," <u>Curr. Biol.</u> 5: 364-367 (1995).
- CT. McConnell, "Constructing the Cerebral Cortex: Neurogenesis and Fate Determination," Neuron 15: 761-768 (1995).
- CU. Ogawa et al., "The *reeler* Gene-Associated Antigen on Cajal-Retzius Neurons is a Crucial Molecule for Laminar Organization of Cortical Neurons," Neuron 14: 899-912 (1995).
- CV. Smeyne et al., "Local Control of Granule Cell Generation by Cerebellar Purkinje Cells," Mol. Cell. Biol. 6: 230-251 (1995).
- CW. Songyang et al., "Catalytic Specificity of Protein-tyrosine Kinases is Critical for Selective Signaling," Nature 373: 536-539 (1995).

- CX. Songyang et al., "The Phosphotyrosine Interaction Domain of SHC Recognizes Tyrosine-phosphorylated NPXY Motif," J. Biol. Chem. 270: 14863-14866 (1995).
- CY. Tessier-Lavigne, "Eph Receptor Tyrosine Kinases, Axon Repulsion, and the Development of Topographic Maps," Cell 82: 345-348 (1995).
- CZ. Vaillancourt et al., "Mitogen-Activated Protein Kinase Activation is Insufficient for Growth Factor Receptor-Mediated PC12 Cell Differentiation," Mol. Cell. Biol. 15: 3644-3653 (1995).
- DA. van der Geer et al., "A Conserved Amino-terminal Shc Domain Binds to Phosphotyrosine Motifs in Activated Receptors and Phosphopeptides," <u>Curr. Biol.</u> 5: 404-412 (1995).
- DB. Vojtek and Hollenberg, "Ras-Raf Interaction: Two-Hybrid Analysis," Meth. Enzymol. 255: 331-342 (1995).
- DC. Xu et al., "Cloning of a Novel Phosphoprotein Regulated by Colonystimulating Factor 1 Shares a Domain with the *Drosophila disabled* Gene Product," <u>J. Biol.</u> Chem. 270: 14184-14191 (1995).
- DD. Zheng et al., "β-Amyloid Precursor Protein-Deficient Mice Show Reactive Gliosis and Decreased Locomotor Activity," <u>Cell</u> 81: 525-531 (1995).
- DE. Zhou et al., "Structure and Ligand Recognition of the Phosphotyrosine Binding Domain of Shc," Nature 378: 584-592 (1995).
- DF. Albertsen et al., "Sequence, Genomic Structure, and Chromosomal Assignment of Human DOC-2," Genomics 33: 207-213 (1996).
- DG. Brown and Cooper, "Regulation, Substrates and Functions of src," Biochim. Biophys. Acta 1287: 121-149 (1996).
- DH. Desai et al., "Receptor Tyrosine Phosphatases Are Required for Motor Axon Guidance in the Drosophila Embryo," Cell 84: 599-609 (1996).
- DI. Eck et al., "Structure of the IRS-1 PTB Domain Bound to the Juxtamembrane Region of the Insulin Receptor," Cell 85: 695-705 (1996).
- DJ. Keegan and Cooper, "Use of the Two Hybrid System to Detect the Association of the Protein-tyrosine-phosphatase, SHPTP2, with Another SH2-containing Protein, Grb7," Oncogene 12: 1537-1544 (1996).

- DK. Krueger et al., "The Transmembrane Tyrosine Phosphatase DLAR Controls Motor Axon Guidance in Drosophila," Cell 84: 611-622 (1996).
- DL. Lioubin et al., "p 150^{Ship}, a Signal Transduction Molecule with Inositol Polyphosphate-5-phosphatase Activity," <u>Genes Devel.</u> 10: 1084-1095 (1996).
- DM. Margolis, "The PI/PTB Domain: A New Protein Interaction Domain Involved in Growth Factor Receptor Signaling," J. Lab. Clin. Med. 128:235-241 (1996).
- DN. Miyata et al., "Distribution of a Reeler Gene-Related Antigen in the Developing Cerebellum: An Immunohistochemical Study With an Allogeneic Antibody CR-50 on Normal and Reeler Mice," <u>J. Comp. Neurol.</u> 372: 215-228 (1996).
- DO. O'Bryan et al., "A Mammalian Adaptor Protein with Conserved Src Homology 2 and Phosphotyrosine-binding Domains is Related to Shc and is Specifically Expressed in the Brain," <u>Proc. Natl. Acad. Sci. USA</u> 93: 2729-2734 (1996).
- DP. Ohshima et al., "Targeted Disruption of the Cyclin-dependent Kinase 5 Gene Results in Abnormal Corticogenesis, Neuronal Pathology and Perinatal Death," <u>Proc.</u>
 Natl. Acad. Sci. USA 93: 11173-11178 (1996).
- DQ. Selko, "Amyloid β-Protein and the Genetics of Alzheimer's Disease," <u>J.</u> <u>Biol. Chem.</u> 271: 18295-18298 (1996).
- DR. Sweet et al., "Scrambler, a New Neurological Mutation of the Mouse With Abnormalities of Neuronal Migration," Mamm. Genome 7: 798-802 (1996).
- DS. Zhou et al., "Structural Basis for IL-4 Receptor Phosphopeptide Recognition by the IRS-1 PTB Domain," Nature Struct. Biol. 3: 388-393 (1996).
- DT. Chae et al., "Mice Lacking p35, a Neuronal Specific Activator of Cdk5, Display Cortical Lamination Defects, Seizures, and Adult Lethality," Neuron 18: 29-42 (1997).
- DU. Del Rio et al., "A Role for Cajal-Retzius Cells and *reelin* in the Development of Hippocampal Connections," Nature 385: 70-74 (1997).
- DV. Howell et al., "Mouse Disabled (mDab1): a Src Binding Protein Implicated in Neuronal Development," EMBO J. 16: 121-132 (1997).
- DW. Sheldon et al., "Scrambler and yotari Disrupt the disabled Gene and Produce a reeler-like Phenotype in Mice," Nature 389: 730-733 (1997).

DX. Soriano, "The PDGFα Receptor is Required for Neural Crest Cell Development and for Normal Patterning of the Somites," <u>Development</u> 124: 2691-2700 (1997).

DY. Yoneshima et al., "A Novel Neurological Mutant Mouse, *yotari*, Which Exhibits *reeler*-like Phenotype but Expresses CR-50 Antigen/Reelin," <u>Neurosci. Res.</u> 29: 217-223 (1997).

It is respectfully requested that the cited information be expressly considered during the prosecution of this application, and the references be made of record therein and appear among the "references cited" on any patent to issue therefrom.

Applicants believe that their invention as claimed is patentable over the above references taken alone or in any combination. However, Applicants reserve the right to demonstrate that their claimed invention was made prior to any one or more of the above-identified references. No inference should be drawn as to the pertinence of the references based on the order in which they are presented.

Applicants respectfully request that the Examiner review the foregoing references to make his own determination of the patentability of the present invention and that the references be made of record in the file of this application.

This Information Disclosure Statement is being filed prior to the mailing date of the first Office Action and three months after the filing date, but prior to the Notice of Allowance or Final Office Action.

Although no fee is believed to be due, the Commissioner is hereby authorized to charge any fees necessitated by this transmittal to Townsend and Townsend Deposit Account No. 20-1430.

Respectfully submitted,

Dated: 5 Necenter 2000

By: Brian W. Poo

Reg. No. 32,928

TOWNSEND and TOWNSEND and CREW LLP

Two Embarcadero Center, 8th Floor San Francisco, California 94111-3834

Tel: 206-467-9600 Fax: 206-623-6793

SE 5005589 v1

FORM PTO-14	49 (Modified)		Attorney Docke	t No.: 1453	8A-004010US	Application No.	: 09/486,293
LIST OF PATENTS AND PUBLICATIONS FOR		Applicant: Cooper, et al.					
APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)			Filing Date: February 22, 2000			Group: Not A	ssigned
Reference Desig	nation	Į	J.S. PATENT DO	OCUMENT	rs	-	· Page 1
Examiner Initial	Document No.	Date	Name		Class	Sub-class	Filing Date (If Appropriate)
AA	4,816,397	03/28/89	Boss, et al.				
FOREIGN PATENT POCUMENTS							
<u> </u>	Document No.	Date	Countr	DEC 08	2000 Class	Sub-class	Translation (Yes/No)
AB	WO 97/10252	03/20/97	PCT	\ <u>a</u>	<u> </u>	<u> </u>	
	OT	HER ART (Incl	uding Author, Ti	tle, Date, P	ertinent Pages, I	Etc.)	
AC	Mouse," J. Com	p. Neur. 147: 235-	254 (1973).			Forebrain in the Re	
AD	Goffinet, "An Early Developmental Defect in the Cerebral Cortex of the Reeler Mouse," <u>Anat. Embryol.</u> 157: 205-216 (1979).						
AE	Stanfield and Cowan, "The Morphology of the Hippocampus and Dentate Gyrus in Normal and Reeler Mice," <u>J. Comp. Neur.</u> 185: 393-422 (1979).						
AF	Caviness, "Neocortical Histogenesis in Normal and Reeler Mice: A Developmental Study Based Upon [3H] Thymidine Autoradiography," <u>Brain Res.</u> 4: 293-302 (1982).						
AG	Goffinet, "Events Governing Organization of Postmigratory Neurons: Studies on Brain Development in Normal and Reeler Mice," <u>Brain Res.</u> 7: 261-296 (1984).						
AH	Goffinet et al., "Architectonic and Hodological Organization of the Cerebellum in Reeler Mutant Mice," <u>Brain Res.</u> 16: 263-276 (1984).						
AI	Simon et al., "The Nucleotide Sequence and the Tissue-Specific Expression of Drosophila c-src," Cell 42: 831-840 (1985).						
AJ	Cooper et al., "Tyr ⁵²⁷ is Phosphorylated in pp60 ^{C-src} : Implications for Regulation," <u>Science</u> 231: 1431-1434 (1986).						
AK	Henkemeyer et al., "The Drosophila Abelson Proto-Oncogene Homolog: Identification of Mutant Alleles That Have Pleiotropic Effects Late in Development," Cell 51: 821-828 (1987).						
AL	Cooper and MacAuley, "Potential Positive and Negative Autoregulation of p60 ^{e-src} by Intermolecular and Autophosphorylation," Proc. Natl. Acad. Sci. USA 85: 4232-4236 (1988).						
AM	MacAuley and Cooper, "The Carboxy-Terminal Sequence of p56 ^{lck} Can Regulate p60 ^{c-src} ," Mol. Cell. Biol. 8: 3560-3564 (1988).						
AN	Anderson, "The Neural Crest Cell Lineage Problem: Neuropoiesis?," Neuron 3: 1-12 (1989).						
AO	Druker et al., "Oncogenes, Growth Factors, and Signal Transduction," New Eng. J. Med. 321: 1383-1391 (1989).						
AP	Gertler et al., "Drosophila abl Tyrosine Kinase in Embryonic CNS Axons: A Role in Axogenesis is Revealed Through Dosage-Sensitive Interactions with disabled," Cell 58: 103-113 (1989).						
AQ	Elkins et al., "Genetic Analysis of a Drosophila Neural Cell Adhesion Molecule: Interaction of Fasciclin I and Abelson Tyrosine Kinase Mutations," Cell 60: 565-575 (1990).						
AR	Gertler et al., "Genetic Suppression of Mutations in the <i>Drosophila abl</i> Proto-Oncogene Homolog," Science 248: 857-860 (1990).						
AS	Henkemeyer et al., "A Novel Tyrosine Kinase-Independent Function of Drosophila abl Correlates with Proper Subcellular Localization," Cell 63: 949-960 (1990).						
AT	Maness et al., "Localization of the Normal Cellular <u>Src</u> Protein to the Growth Cone of Differentiating Neurons in Brain and Retina," <u>Adv. Exp. Med. Biol.</u> 265: 117-125 (1990).						
AU	Bixby and Harris, "Molecular Mechanisms of Axon Growth and Guidance," Annu. Rev. Cell Biol. 7: 117-159 (1991).						
AV	Kremer et al., "Signal Transduction by Nerve Growth Factor and Fibroblast Growth Factor in PC12 Cells Requires a Sequence of Src and Ras Actions," J. Cell Biol. 115: 809-819 (1991).						
AW	Lannoo et al., "Zebrin II Immunoreactivity in the Rat and in the Weakly Electric Teleost <i>Eigenmannia</i> (Gymnotiformes) Reveals Three Modes of Purkinje Cell Development," <u>J. Comp. Neurol.</u> 310: 215-233 (1991).						

FORM PTO-1449 (Modified)		Attorney Docket No.: 14538A-004010US	Application No.: 09/486,293		
LIST OF PATENTS AND PUBLICATIONS FOR		7 -			
APPLICANT'S INFORMATION DISCLOSURE		Applicant: Cooper, et al. Filing Date: February 22, 2000 FE	Group: Not Assigned		
	Use several sheets if necessary)	<u> </u>	<u> </u>		
AX	Schwartzberg et al., "Mice Homozygous for the abl ^{m1} Mutation Show Poor Viability and Depletion of Selected B and T Cell Populations," Cell 65: 1165-1175 (1991).				
AY	Tybulewicz, et al., "Neonatal Lethality and Lymphopenia in Mice with a Homozygous Disruption of the c-abl Proto-Oncogence," Cell: 1153-1163 (1991).				
AZ	Vaessin et al., "prospero is Expressed in Neuronal Precursors and Encodes a Nuclear Protein That is Involved in the Control of Axonal Outgrowth in Drosophila," Cell 67: 941-953 (1991).				
BA	Bennett and Hoffman, "Increased Levels of the <i>Drosophila</i> Abelson Tyrosine Kinase in Nerves and Muscles: Subcellular Localization and Mutant Phenotypes Imply a Role in Cell-cell Interactions," <u>Development</u> 116: 953-966 (1992).				
BB	Maness, "Nonreceptor Protein Tyrosine Kinases Associated with Neuronal Development," <u>Dev. Neurosci</u> 14: 257-270 (1992).				
BC	Mayer et al., "Point Mutations in the abl SH2 Domain Coordinately Impair Phosphotyrosine Binding In Vitro and Transforming Activity in Vivo," Mol. Cell Biol. 12: 609-618 (1992).				
BD	McConnell, "The Control of Neuronal Identity in the Developing of Cerebral Cortex," Curr. Opin. Neurobiol. 2:23-27 (1992).				
BE	Seidel-Dugan et al., "Effects of SH2 and SH3 Deletions on the Functional Activities of Wild-Type and Transforming Variants of c-Src," Mol. Cell. Biol. 12: 1835-1845 (1992).				
BF	Stein et al., "pp59 ^{fyn} Mutant Mice Display Differential Signaling in Thymocytes and Peripheral T Cells," Cell 70: 741-750 (1992).				
BG	Waksman et al., "Crystal Structure of the Phosphotyrosine Recognition Domain SH2 of v-src Complexed with Tyrosine-phosphorylated Peptides," Nature 358: 646-653 (1992).				
BH	Gertler et al., "Dosage-sensitive Modifiers of <i>Drosophila abl</i> Tyrosine Kinase Function: <i>prospero</i> , a Regulator of Axonal Outgrowth, and <i>disabled</i> , a Novel Tyrosine Kinase Substrate," Genes Dev. 7: 441-453 (1993).				
BI	Hatten, "The Role of Migration in Central Nervous System Neuronal Development," <u>Curr. Opin. Neurobiol.</u> 3: 38-44 (1993).				
BJ	Kussick et al., "Ras1-dependent Signaling by Ectopically-expressed <i>Drosophila src</i> Gene Product in the Embryo and Developing Eye," Oncogene, 8: 2791-2803 (1993).				
BK	Mori, et al., "Identification of Two Juxtamembrane Autophosphorylation Sites in the PDGF β-receptor; Involvement in the Interaction with Src Family Tyrosine Kinases," EMBO J., 6: 2257-2264 (1993).				
BL	Okada et al., "Deletion of the SH3 Domain of Src Interferes with Regulation by the Phosphorylated Carboxylterminal Tyrosine," J. Biol. Chem. 268: 18070-18075 (1993).				
BM	Songyang et al., "SH2 Domains Re	ecognize Specific Phosphopeptide Sequences	s," <u>Cell</u> 72: 767-778 (1993).		
BN	Vojtek et al., "Mammalian Ras Interacts Directly with the Serine/Threonine Kinase Raf," Cell 74: 205-214 (1993).				
BO	Vojtek and Cooper, "Identification and Characterizatoin of a cDNA Encoding Mouse CAP: a Homolog of the Yeast Adenylyl Cyclase Associated Protein," J. Cell Sci. 105: 777-785 (1993).				
BP	Wu and Goldberg, "Regulated Tyrosine Phosphorylation at the Tips of Growth Cone Filopodia," <u>J. Cell Biol.</u> 123: 653-664 (1993).				
BQ	Beggs et al., "NCAM-dependent Neurite Outgrowth Is Inhibited in Neurons from Fyn-minus Mice," J. Cell. Biol. 127: 825-833 (1994).				
BR	Cobb et al., "Stable Association of pp60 ^{src} and pp59 ^{fyn} with the Focal Adhesion-Associated Protein Tyrosine Kinase, pp125 ^{FAK} ," Mol. Cell. Biol. 14: 147-155 (1994).				
BS	Feng et al., "Two Binding Orientations for Peptides to the Src SH3 Domain: Development of a General Model for SH3-Ligand Interactions," Science 266: 1241-1247 (1994).				
BT	Fumagalli et al., "A Target for Src in Mitosis," Nature 368: 871-874 (1994).				
BU	Howell and Cooper, "Csk Suppression of Src Involves Movement of Csk to Sites of Src Activity," Mol. Cell. Biol. 14: 5402-5411 (1994).				
BV		utgrowth of src-Minus Cerebellar Neurons o	n the Cell Adhesion Molecule L1,"		
-	12. 075 001 (1777).				

ŗ

FORM PTO-14	49 (Modified)	Attorney Docket No.: 14538A-004010US Application No.: 09/486,293			
LIST OF PATENTS AND PUBLICATIONS FOR		Applicant: Cooper, et al. Filing Date: February 22, 2000 Group: Not Assigned			
APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Filing Date: February 22, 2000 Group: Not Assigned			
BW	Kavanaugh and Williams, "An Alternative to SH2 Domains for Binding Tyrosine Phosphorylated Proteins," <u>Science</u> 266: 1862-1865 (1994).				
BX	Mok et al., "Molecular Cloning of Differentially Expressed Genes in Human Epithelial Ovarian Cancer," Gyn Oncol. 52: 247-252 (1994).				
BY	Sabe et al., "Analysis of the Binding of the Src Homology 2 Domain of Csk to Tyrosine-phosphorylated Proteins in the Suppression and Mitotic Activation of c-Src," <u>Proc. Natl. Acad. Sci. USA</u> 91: 3984-3988 (1994).				
BZ	Schaller et al., "Autophosphorylation of the Focal Adhesion Kinase, pp125 ^{FAK} , Directs SH2-Dependent Binding of pp60 ^{src} ," Mol. Cell. Biol. 14: 1680-1688 (1994).				
CA	Snider, "Functions of the Neurotrophins during Nervous System Development: What the Knockouts Are Teaching Us," Cell 77: 627-638 (1994).				
СВ	Taylor and Shalloway, "An RNA-binding Protein Associated with Src Through its SH2 and SH3 Domains in Mitosis," Nature 368: 867-871 (1994).				
cc	Umemori et al., "Initial Events of Myelination Involve Fyn Tyrosine Kinase Signalling," Nature 367: 572-576 (1994).				
CD	Wilson et al., "2.2 Mb of Continguous Nucleotide Sequence From Choromosome III of C. elegans," Nature 368: 32-38 (1994).				
CE	Yu et al., "Structural Basis for the	Binding of Proline-Rich Peptides to SH3 Domains," Cell 76: 933-945 (1994).			
CF	Alonso et al., "Sequence Requirements for Binding of Src Family Tyrosine Kinases to Activated Growth Factor Receptors," J. Biol. Chem. 270: 9840-9848 (1995).				
CG	Batzer et al, "The Phosphotyrosine Interaction Domain of Shc Binds an LXNPXY Motif on the Epidermal Growth Factor Receptor," Mol. Cell. Biol. 15: 4403-4409 (1995).				
СН	Bork and Margolis, "A Phosphotyrosine Interaction Domain, " Cell 80: 694-694 (1995).				
CI	Callahan et al., "Control of Neuronal Pathway Selection by a <i>Drosophila</i> Receptor Protein-tyrosine Kinase Family Member," Nature 376: 171-174 (1995).				
CJ	D'Arcangelo et al., "A Protein Related to Extracellular Matrix Proteins Deleted in the Mouse Mutant reeler," Nature 374: 719-723 (1995).				
CK	Duyster et al., "Src Homology 2 Domain as a Specificity Determinant in the c-Abl-mediated Tyrosine Phosphorylation of the RNA Polymerase II Carboxyl-terminal Repeated Domain," Proc. Natl. Acad. Sci. USA 92: 1555-1559 (1995).				
CL	Goldberg and Wu, "Inhibition of Formation of Filopodia after Axotomy by Inhibitors of Protein Tyrosine Kinases," J. Neurobiol. 27: 553-560 (1995).				
CM	Hill et al., "Genetic Interactions Between the Drosophila Abelson (Abl) Tyrosine Kinase and Failed Axon Connections (Fax), a Novel Protein in Axon Bundles," Genetics 141: 595-606 (1995).				
CN	Hirotsune et al., "The Reeler Gene Encodes a Protein with an EGF-like Motif Expressed by Pioneer Neurons," Nat. Genet. 10: 77-83 (1995).				
co	Hoffarth et al., "The Mouse Mutation Reeler Causes Increased Adhesion within a Subpopulation of Early Postmitotic Cortical Neurons," J. Neurosci. 15: 4838-4850 (1995).				
СР	Hollenberg et al., "Identification of a New Family of Tissue-Specific Basic Helix-Loop-Helix Proteins with a Two-Hybrid System," Mol. Cell. Biol. 15: 3813-3822 (1995).				
cq	Kavanaugh et al., "PTB Domain Binding to Signaling Proteins Through a Sequence Motif Containing Phosphotyrosine," Science 268: 1177-1179 (1995).				
CR	Lai et al., "A <i>Drosophila shc</i> Gene Product is Implicated in Signaling by the DER Receptor Tyrosine Kinase," Mol. Cell. Biol. 15: 4810-4818 (1995).				
CS	Mayer and Eck, "Minding your p's and q's: SH3 Domains Mediate Many Important Protein-protein Interactions. The Molecular Basis of the Binding of These Domains to Their Ligands has been Revealed, Making it Possible to Identify SH3-binding Sites in New Proteins," <u>Curr. Biol.</u> 5: 364-367 (1995).				
СТ	McConnell, "Constructing the Cer (1995).	ebral Cortex: Neurogenesis and Fate Determination," Neuron 15: 761-768			
					

	OIPE S			
•	DEC D 8 2000 CE			
FORM PTO-14	49 (Modified) Attorney Docket No.: 14538A-004010US Application No.: 09/486,293			
LIST OF PATE	NTS AND PUBLICATION SEFOR Applicant: Cooper, et al.			
STATEMENT (INFORMATION DISCLOSURE Filing Date: February 22, 2000 Group: Not Assigned			
CU	Ogawa et al., "The reeler Gene-Associated Antigen on Cajal-Retzius Neurons is a Crucial Molecule for Laminar Organization of Cortical Neurons," Neuron 14: 899-912 (1995).			
cv	Smeyne et al., "Local Control of Granule Cell Generation by Cerebellar Purkinje Cells," Mol. Cell. Biol. 6: 230-251 (1995).			
CW	Songyang et al., "Catalytic Specificity of Protein-tyrosine Kinases is Critical for Selective Signaling," Nature 373: 536-539 (1995).			
сх	Songyang et al., "The Phosphotyrosine Interaction Domain of SHC Recognizes Tyrosine-phosphorylated NPXY Motif," J. Biol. Chem. 270: 14863-14866 (1995).			
CY	Tessier-Lavigne, "Eph Receptor Tyrosine Kinases, Axon Repulsion, and the Development of Topographic Maps," Cell 82: 345-348 (1995).			
CZ	Vaillancourt et al., "Mitogen-Activated Protein Kinase Activation is Insufficient for Growth Factor Receptor-Mediated PC12 Cell Differentiation," Mol. Cell. Biol. 15: 3644-3653 (1995).			
DA	van der Geer et al., "A Conserved Amino-terminal Shc Domain Binds to Phosphotyrosine Motifs in Activated Receptors and Phosphopeptides," Curr. Biol. 5: 404-412 (1995).			
DB	Vojtek and Hollenberg, "Ras-Raf Interaction: Two-Hybrid Analysis," Meth. Enzymol. 255: 331-342 (1995).			
DC	Xu et al., "Cloning of a Novel Phosphoprotein Regulated by Colony-stimulating Factor 1 Shares a Domain with the Drosophila disabled Gene Product," J. Biol. Chem. 270: 14184-14191 (1995).			
DD	Zheng et al., "β-Amyloid Precursor Protein-Deficient Mice Show Reactive Gliosis and Decreased Locomotor Activity," Cell 81: 525-531 (1995).			
DE	Zhou et al., "Structure and Ligand Recognition of the Phosphotyrosine Binding Domain of Shc," Nature 378: 584-592 (1995).			
DF	Albertsen et al., "Sequence, Genomic Structure, and Chromosomal Assignment of Human DOC-2," Genomics 33: 207-213 (1996).			
DG	Brown and Cooper, "Regulation, Substrates and Functions of src," Biochim. Biophys. Acta 1287: 121-149 (1996).			
DH	Desai et al., "Receptor Tyrosine Phosphatases Are Required for Motor Axon Guidance in the Drosophila Embryo," Cell 84: 599-609 (1996).			
DI	Eck et al., "Structure of the IRS-1 PTB Domain Bound to the Juxtamembrane Region of the Insulin Receptor," Cell 85: 695-705 (1996).			
DJ	Keegan and Cooper, "Use of the Two Hybrid System to Detect the Association of the Protein-tyrosine-phosphatase, SHPTP2, with Another SH2-containing Protein, Grb7," Oncogene 12: 1537-1544 (1996).			
DK	Krueger et al., "The Transmembrane Tyrosine Phosphatase DLAR Controls Motor Axon Guidance in Drosophila," Cell 84: 611-622 (1996).			
DL	Lioubin et al., "p 150 ^{Ship} , a Signal Transduction Molecule with Inositol Polyphosphate-5-phosphatase Activity," Genes Devel. 10: 1084-1095 (1996).			
DM	Margolis, "The PI/PTB Domain: A New Protein Interaction Domain Involved in Growth Factor Receptor Signaling," J. Lab. Clin. Med. 128:235-241 (1996).			
DN	Miyata et al., "Distribution of a Reeler Gene-Related Antigen in the Developing Cerebellum: An Immunohistochemical Study With an Allogeneic Antibody CR-50 on Normal and Reeler Mice," J. Comp. Neurol. 372: 215-228 (1996).			
DO	O'Bryan et al., "A Mammalian Adaptor Protein with Conserved Src Homology 2 and Phosphotyrosine-binding Domains is Related to Shc and is Specifically Expressed in the Brain," <u>Proc. Natl. Acad. Sci. USA</u> 93: 2729-2734 (1996).			
DP	Ohshima et al., "Targeted Disruption of the Cyclin-dependent Kinase 5 Gene Results in Abnormal Corticogenesis, Neuronal Pathology and Perinatal Death," Proc. Natl. Acad. Sci. USA 93: 11173-11178 (1996).			
DQ	Selko, "Amyloid β-Protein and the Genetics of Alzheimer's Disease," J. Biol. Chem. 271: 18295-18298 (1996).			
DR	Sweet et al., "Scrambler, a New Neurological Mutation of the Mouse With Abnormalities of Neuronal Migration," Mamm. Genome 7: 798-802 (1996).			

FORM PTO-1449 (Modified)		Attorney Docket No.: 14538A-004010US	Application No.: 09/486,293	
LIST OF PATENTS AND PUBLICATIONS FOR		Applicant: Cooper, et al.		
APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Filing Date: February 22, 2000	Group: Not Assigned	
DS	Zhou et al., "Structural Basis for IL-4 Receptor Phosphopeptide Recognition by the IRS-1 PTB Domain," Nature Struct. Biol. 3: 388-393 (1996).			
DT	Chae et al., "Mice Lacking p35, a Neuronal Specific Activator of Cdk5, Display Cortical Lamination Defects, Seizures, and Adult Lethality," Neuron 18: 29-42 (1997).			
DU	Del Rio et al., "A Role for Cajal-Retzius Cells and <i>reelin</i> in the Development of Hippocampal Connections," Nature 385: 70-74 (1997).			
DV	Howell et al., "Mouse Disabled (mDab1): a Src Binding Protein Implicated in Neuronal Development," <u>EMBO J.</u> 16: 121-132 (1997).			
DW	Sheldon et al., "Scrambler and yotari Disrupt the disabled Gene and Produce a reeler-like Phenotype in Mice," Nature 389: 730-733 (1997).			
DX	Soriano, "The PDGFα Receptor is Required for Neural Crest Cell Development and for Normal Patterning of the Somites," <u>Development</u> 124: 2691-2700 (1997).			
DY	Yoneshima et al., "A Novel Neurological Mutant Mouse, yotari, Which Exhibits reeler-like Phenotype but Expresses CR-50 Antigen/Reelin," Neurosci. Res. 29: 217-223 (1997).			
EXAMINER	DATE CONSIDERED			

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

